Migrant agricultural labor housing constructed **prior to April 3, 1980** must comply with these standards of the U.S. Department of Labor, Employment and Training Administration.

Part § 654—Special Responsibilities of the Employment Service System

Subpart E-Housing Inspections of Agricultural Workers

Purpose and Applicability

§ 654.400 - Scope and purpose.

- (a) This subpart sets forth the Employment and Training Administration standards for agricultural housing. Local Job Service offices, as part of the State employment service agencies and in cooperation with the United States Employment Service, assist employers in recruiting agricultural workers from places outside the area of intended employment. The experiences of the employment service indicate that employees so referred have on many occasions been provided with inadequate, unsafe, and unsanitary housing conditions. To discourage this practice, it is the policy of the Federal-State employment service system, as set forth in 653.108 of this chapter, to deny its intrastate and interstate recruitment services to employers until the State employment service agency has ascertained that the employer's housing meets certain standards.
- (b) To implement this policy, 653.108 of this chapter provides that recruitment services shall be denied unless the employer has signed an assurance, a preoccupancy inspection has been conducted and the ES staff has ascertained that, with respect to intrastate clearance, if the workers are to be housed, the employer's housing meets or, with respect to interstate clearance, that the employer will provide housing for the workers which meets either the full set of standards set forth at 29 CFR 1910.142 or the full set of standards set forth in this subpart. Whichever is applicable under the criteria set forth in 654.401; except that for mobile range housing for sheepherders, the housing shall meet existing Departmental guidelines.

[45 FR 14182, Mar. 4, 1980; 45 FR 22901, Apr. 4, 1980]

§ 654.401 - Applicability; transitional provisions.

- (a) Employers whose housing was constructed in accordance with the ETA housing standards may continue to follow the full set of ETA standards set forth in this subpart only where prior to April 3, 1980 the housing was completed or under construction, or where prior to March 4, 1980 a contract for the construction of the specific housing was signed.
- (b) To effectuate these transitional provisions, agricultural housing to which this subpart applies and which complies with the full set of standards set forth in this subpart shall be considered to be in compliance with the Occupational Safety and Health Administration temporary labor camp standards at 29 CFR 1910.142.

§ 654.402 - Variances.

- (a) An employer may apply for a permanent, structural variance from a specific standard(s) in this subpart by filing a written application for such a variance with the local Job Service office serving the area in which the housing is located. This application must be filed by June 2, 1980 and must:
 - (1) Clearly specify the standard(s) from which the variance is desired;
- (2) Provide adequate justification that the variance is necessary to obtain a beneficial use of an existing facility, and to prevent a practical difficulty or unnecessary hardship; and
- (3) Clearly set forth the specific alternative measures which the employer has taken to protect the health and safety of workers and adequately show that such alternative measures have achieved the same result as the standard(s) from which the employer desires the variance.
- (b) Upon receipt of a written request for a variance under paragraph (a) of this section, the local Job Service office shall send the request to the State office which, in turn, shall forward it to the Regional Administrator, Employment and Training Administration (RA). The RA shall review the matter and, after consultation with OSHA, shall either grant or deny the request for a variance.
- (c) The variance granted by the RA shall be in writing, shall state the particular standard(s) involved, and shall state as conditions of the variance the specific alternative measures which have been taken to protect the health and safety of the workers. The RA shall send the approved variance to the employer and shall send copies to the Regional Administrator of the Occupational Safety and Health Administration, the Regional Administrator of the Employment Standards Administration, and the appropriate State agency and the local Job Service office. The employer shall submit and the local Job Service office shall attach copies of the approved variance to each of the employer's job orders which is placed into intrastate or interstate clearance.
- (d) If the RA denies the request for a variance, the RA shall provide written notice stating the reasons for the denial to the employer, the appropriate State agency and the local Job Service office. The notice shall also offer the employer an opportunity to request a hearing before a DOL Hearing Officer, provided the employer requests such a hearing from the RA within 30 calendar days of the date of the notice. The request for a hearing shall be handled in accordance with the employment service complaint procedures set forth at 658.421 (i) and (j), 658.422 and 658.423 of this chapter.
- (e) The procedures of paragraphs (a) through (d) of this section shall only apply to an employer who has chosen, as evidenced by its written request for a variance, to comply with the ETA housing standards at 654.404-654.417 of this subpart.

§ 654.403 - Conditional access to the intrastate or interstate clearance system.

(a) Filing requests for conditional access—(1) "Noncriteria" employers. Except as provided in paragraph (a)(2) of this section, an employer whose housing does not meet applicable standards may file with the local Job Service office serving the area in which its housing is located, a written request that its job orders be conditionally allowed into the intrastate or interstate clearance system, provided that the employer's request assures that its housing will be in full

compliance with the requirements of the applicable housing standards at least 30 calendar days (giving the specific date) before the housing is to be occupied.

- (2) "Criteria" employers. If the request for conditional access described in paragraph (a)(1) of this section is from an employer filing a job order pursuant to an application for temporary alien agricultural labor certification for H-2A alien agricultural workers or H-2 alien workers under subpart B or subpart C, respectively, of part 655 of this chapter, the request shall be filed with the RA as an attachment to the application for temporary alien agricultural labor certification.
- (3) Assurance. The employer's request pursuant to paragraphs (a)(1) or (a)(2) of this section shall contain an assurance that thehousing will be in full compliance with the applicable housing standards at least 30 calendar days (stating the specific date) before the housing is to be occupied.
- (b) Processing requests--(1) State agency processing. Upon receipt of a written request for conditional access to the intrastate or interstate clearance system under paragraph (a)(1) of this section, the local Job Service office shall send the request to the State office, which, in turn, shall forward it to the Regional Administrator, Employment and Training Administration, (RA).
- (2) Regional office processing and determination. Upon receipt of a request for conditional access pursuant to paragraph (a)(2) or paragraph (b)(1) of this section, the RA shall review the matter and, as appropriate, shall either grant or deny the request.
- (c) Authorization. The authorization for conditional access to the intrastate or interstate clearance system shall be in writing, and shall state that although the housing does not comply with the applicable standards, the employer's job order may be placed into intrastate or interstate clearance until a specified date. The RA shall send the authorization to the employer and shall send copies to the appropriate State agency and local Job Service office. The employer shall submit and the local Job Service shall attach copies of the authorization to each of the employer's job orders which is placed into intrastate or interstate clearance.
- (d) Notice of denial. If the RA denies the request for conditional access to the intrastate or interstate clearance system, the RA shall provide written notice to the employer, the appropriate State agency, and the local Job Service office, stating the reasons for the denial.
- (e) Inspection. (1) The local Job Service office serving the area containing the housing of any employer granted conditional access to the intrastate or interstate clearance system shall assure that the housing is inspected no later than the date by which the employer has promised to have its housing in compliance with the requirements of this subpart. An employer, however, may request an earlier preliminary inspection. If, on the date set forth in the authorization, the housing is not in full compliance with the applicable housing standards as assured in the request for conditional access, the local Job Service office shall afford the employer five calendar days to bring the housing into full compliance. After the five-calendar-day period, if the housing is not in full compliance with the applicable housing standards as assured in the request for conditional access, the local Job Service office immediately:
 - (i) Shall notify the RA;
 - (ii) Shall remove the employer's job orders from intrastate and interstate clearance; and
- (iii) Shall, if workers have been recruited against these orders, in cooperation with the employment service agencies in other States, make every reasonable attempt to locate and notify the appropriate crew leaders or workers, and to find alternative and comparable employment for the workers.

[52 FR 20506, June 1, 1987]

HOUSING STANDARDS

§ 654.404 - Housing site.

- (a) Housing sites shall be well drained and free from depressions in which water may stagnate. They shall be located where the disposal of sewage is provided in a manner which neither creates nor is likely to create a nuisance, or a hazard to health.
- (b) Housing shall not be subject to, or in proximity to conditions that create or are likely to create offensive odors, flies, noise, traffic, or any similar hazards.
- (c) Grounds within the housing site shall be free from debris, noxious plants (poison ivy, etc.) and uncontrolled weeds or brush.
- (d) The housing site shall provide a space for recreation reasonably related to the size of the facility and the type of occupancy.

§ 654.405 - Water supply.

- (a) An adequate and convenient supply of water that meets the standards of the State health authority shall be provided.
- (b) A cold water tap shall be available within 100 feet of each individual living unit when water is not provided in the unit. Adequate drainage facilities shall be provided for overflow and spillage.
 - (c) Common drinking cups shall not be permitted.

§ 654.406 - Excreta and liquid waste disposal.

- (a) Facilities shall be provided and maintained for effective disposal of excreta and liquid waste. Raw or treated liquid waste shall not be discharged or allowed to accumulate on the ground surface.
- (b) Where public sewer systems are available, all facilities for disposal of excreta and liquid wastes shall be connected thereto.
- (c) Where public sewers are not available, a subsurface septic tank-seepage system or other type of liquid waste treatment and disposal system, privies or portable toilets shall be provided. Any requirements of the State health authority shall be complied with.

§ 654.407 - Housing.

- (a) Housing shall be structurally sound, in good repair, in a sanitary condition and shall provide protection to the occupants against the elements.
- (b) Housing shall have flooring constructed of rigid materials, smooth finished, readily cleanable, and so located as to prevent the entrance of ground and surface water.
 - (c) The following space requirements shall be provided:
- (1) For sleeping purposes only in family units and in dormitory accommodations using single beds, not less than 50 square feet of floor space per occupant;
- (2) For sleeping purposes in dormitory accommodations using double bunk beds only, not less than 40 square feet per occupant;

- (3) For combined cooking, eating, and sleeping purposes not less than 60 square feet of floor space per occupant.
- (d) Housing used for families with one or more children over 6 years of age shall have a room or partitioned sleeping area for the husband and wife. The partition shall be of rigid materials and installed so as to provide reasonable privacy.
 - (e) Separate sleeping accommodations shall be provided for each sex or each family.
- (f) Adequate and separate arrangements for hanging clothing and storing personal effects for each person or family shall be provided.
- (g) At least one-half of the floor area in each living unit shall have a minimum ceiling height of 7 feet. No floor space shall be counted toward minimum requirements where the ceiling height is less than 5 feet.
- (h) Each habitable room (not including partitioned areas) shall have at least one window or skylight opening directly to the out-of-doors. The minimum total window or skylight area, including windows in doors, shall equal at least 10 percent of the usable floor area. The total open able area shall equal at least 45 percent of the minimum window or skylight area required, except where comparably adequate ventilation is supplied by mechanical or some other method.

§ 654.408 - Screening.

- (a) All outside openings shall be protected with screening of not less than 16 mesh.
- (b) All screen doors shall be tight fitting, in good repair, and equipped with self-closing devices.

§ 654.409 - Heating.

- (a) All living quarters and service rooms shall be provided with properly installed, operable heating equipment capable of maintaining a temperature of at least 68 F. if during the period of normal occupancy the temperature in such quarters falls below 68.
- (b) Any stoves or other sources of heat utilizing combustible fuel shall be installed and vented in such a manner as to prevent fire hazards and a dangerous concentration of gases. No portable heaters other than those operated by electricity shall be provided. If a solid or liquid fuel stove is used in a room with wooden or other combustible flooring, there shall be a concrete slab, insulated metal sheet, or other fireproof material on the floor under each stove, extending at least 18 inches beyond the perimeter of the base of the stove.
- (c) Any wall or ceiling within 18 inches of a solid or liquid fuel stove or a stovepipe shall be of fireproof material. A vented metal collar shall be installed around a stovepipe, or vent passing through a wall, ceiling, floor or roof.
- (d) When a heating system has automatic controls, the controls shall be of the type which cut off the fuel supply upon the failure or interruption of the flame or ignition, or whenever a predetermined safe temperature or pressure is exceeded.

[45 FR 14182, Mar. 4, 1980; 45 FR 22901, Apr. 4, 1980]

§ 654.410 - Electricity and lighting.

- (a) All housing sites shall be provided with electric service.
- (b) Each habitable room and all common use rooms, and areas such as: Laundry rooms, toilets, privies, hallways, stairways, etc., shall contain adequate ceiling or wall-type light fixtures. At least one wall-type electrical convenience outlet shall be provided in each individual living room.
- (c) Adequate lighting shall be provided for the yard area, and pathways to common use facilities.
 - (d) All wiring and lighting fixtures shall be installed and maintained in a safe condition.

§ 654.411 - Toilets.

- (a) Toilets shall be constructed, located and maintained so as to prevent any nuisance or public health hazard.
- (b) Water closets or privy seats for each sex shall be in the ratio of not less than one such unit for each 15 occupants, with a minimum of one unit for each sex in common use facilities.
- (c) Urinals, constructed of nonabsorbent materials, may be substituted for men's toilet seats on the basis of one urinal or 24 inches of trough-type urinal for one toilet seat up to a maximum of one-third of the required toilet seats.
- (d) Except in individual family units, separate toilet accommodations for men and women shall be provided. If toilet facilities for men and women are in the same building, they shall be separated by a solid wall from floor to roof or ceiling. Toilets shall be distinctly marked "men" and "women" in English and in the native language of the persons expected to occupy the housing.
- (e) Where common use toilet facilities are provided, an adequate and accessible supply of toilet tissue, with holders, shall be furnished.
- (f) Common use toilets and privies shall be well lighted and ventilated and shall be clean and sanitary.
 - (g) Toilet facilities shall be located within 200 feet of each living unit.
- (h) Privies shall not be located closer than 50 feet from any living unit or any facility where food is prepared or served.
- (i) Privy structures and pits shall be fly tight. Privy pits shall have adequate capacity for the required seats.

§ 654.412 - Bathing, laundry, and handwashing

- (a) Bathing and handwashing facilities, supplied with hot and cold water under pressure, shall be provided for the use of all occupants. These facilities shall be clean and sanitary and located within 200 feet of each living unit.
- (b) There shall be a minimum of 1 showerhead per 15 persons. Showerheads shall be spaced at least 3 feet apart, with a minimum of 9 square feet of floor space per unit. Adequate, dry dressing space shall be provided in common use facilities. Shower floors shall be constructed of nonabsorbent nonskid materials and sloped to properly constructed floor drains. Except in individual family units, separate shower facilities shall be provided each sex. When common use shower facilities for both sexes are in the same building they shall be separated by a solid

nonabsorbent wall extending from the floor to ceiling, or roof, and shall be plainly designated ``men" or ``women" in English and in the native language of the persons expected to occupy the housing.

(c) Lavatories or equivalent units shall be provided in a ratio of 1 per 15 persons.

(d) Laundry facilities, supplied with hot and cold water under pressure, shall be provided for the use of all occupants. Laundry trays or tubs shall be provided in the ratio of 1 per 25 persons. Mechanical washers may be provided in the ratio of 1 per 50 persons in lieu of laundry trays, although a minimum of 1 laundry tray per 100 persons shall be provided in addition to the mechanical washers.

§ 654.413 - Cooking and eating facilities.

- (a) When workers or their families are permitted or required to cook in their individual unit, a space shall be provided and equipped for cooking and eating. Such space shall be provided with:
 - 1) A cookstove or hot plate with a minimum of two burners; and
 - (2) adequate food storage shelves and a counter for food preparation; and
 - (3) provisions for mechanical refrigeration of food at a temperature of not more than 45 F.; and
- (4) a table and chairs or equivalent seating and eating arrangements, all commensurate with the capacity of the unit; and
 - (5) adequate lighting and ventilation.
- (b) When workers or their families are permitted or required to cook and eat in a common facility, a room or building separate from the sleeping facilities shall be provided for cooking and eating. Such room or building shall be provided with:
- (1) Stoves or hot plates, with a minimum equivalent of two burners, in a ratio of 1 stove or hot plate to 10 persons, or 1 stove or hot plate to 2 families; and
 - (2) adequate food storage shelves and a counter for food preparation; and
 - (3) mechanical refrigeration for food at a temperature of not more than 45 F.; and
 - (4) tables and chairs or equivalent seating adequate for the intended use of the facility; and
 - (5) adequate sinks with hot and cold water under pressure; and
 - (6) adequate lighting and ventilation; and
 - (7) floors shall be of nonabsorbent, easily cleaned materials.
- (c) When central mess facilities are provided, the kitchen and mess hall shall be in proper proportion to the capacity of the housing and shall be separate from the sleeping quarters. The physical facilities, equipment and operation shall be in accordance with provisions of applicable State codes.
- (d) Wall surface adjacent to all food preparation and cooking areas shall be of nonabsorbent, easily cleaned material. In addition, the wall surface adjacent to cooking areas shall be of fire-resistant material.

§ 654.414 - Garbage and other refuse.

- (a) Durable, fly-tight, clean containers in good condition of a minimum capacity of 20 gallons, shall be provided adjacent to each housing unit for the storage of garbage and other refuse. Such containers shall be provided in a minimum ratio of 1 per 15 persons.
 - (b) Provisions shall be made for collection of refuse at least twice a week, or more often if

necessary. The disposal of refuse, which includes garbage, shall be in accordance with State and local law.

§ 654.415 - Insect and rodent control.

Housing and facilities shall be free of insects, rodents, and other vermin.

§ 654.416 - Sleeping facilities.

- (a) Sleeping facilities shall be provided for each person. Such facilities shall consist of comfortable beds, cots, or bunks, provided with clean mattresses.
 - (b) Any bedding provided by the housing operator shall be clean and sanitary.
 - (c) Triple deck bunks shall not be provided.
- (d) The clear space above the top of the lower mattress of a double deck bunk and the bottom of the upper bunk shall be a minimum of 27 inches. The distance from the top of the upper mattress to the ceiling shall be a minimum of 36 inches.
 - (e) Beds used for double occupancy may be provided only in family accommodations.

§ 654.417 - Fire, safety, and first aid.

- (a) All buildings in which people sleep or eat shall be constructed and maintained in accordance with applicable State or local fire and safety laws.
- (b) In family housing and housing units for less than 10 persons, of one story construction, two means of escape shall be provided. One of the two required means of escape may be a readily accessible window with an openable space of not less than 24×24 inches.
- (c) All sleeping quarters intended for use by 10 or more persons, central dining facilities, and common assembly rooms shall have at least two doors remotely separated so as to provide alternate means of escape to the outside or to an interior hall.
- (d) Sleeping quarters and common assembly rooms on the second story shall have a stairway, and a permanent, affixed exterior ladder or a second stairway.
- (e) Sleeping and common assembly rooms located above the second story shall comply with the State and local fire and building codes relative to multiple story dwellings.
- (f) Fire extinguishing equipment shall be provided in a readily accessible place located not more than 100 feet from each housing unit. Such equipment shall provide protection equal to a 2\1/2\ gallon stored pressure or 5-gallon pump-type water extinguisher.
- (g) First aid facilities shall be provided and readily accessible for use at all time. Such facilities shall be equivalent to the 16 unit first aid kit recommended by the American Red Cross, and provided in a ratio of 1 per 50 persons.
- (h) No flammable or volatile liquids or materials shall be stored in or adjacent to rooms used for living purposes, except for those needed for current household use.
 - (i) Agricultural pesticides and toxic chemicals shall not be stored in the housing area.